



# Release 181 Graphics Drivers ***Release Notes***

**Version 181.22**

**For Windows Vista 32-bit  
and Windows Vista 64-bit**

---

**NVIDIA Corporation  
January 16, 2009**

Published by  
NVIDIA Corporation  
2701 San Tomas Expressway  
Santa Clara, CA 95050

## **Notice**

ALL NVIDIA DESIGN SPECIFICATIONS, REFERENCE BOARDS, FILES, DRAWINGS, DIAGNOSTICS, LISTS, AND OTHER DOCUMENTS (TOGETHER AND SEPARATELY, "MATERIALS") ARE BEING PROVIDED "AS IS." NVIDIA MAKES NO WARRANTIES, EXPRESSED, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT TO THE MATERIALS, AND EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES OF NONINFRINGEMENT, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE.

Information furnished is believed to be accurate and reliable. However, NVIDIA Corporation assumes no responsibility for the consequences of use of such information or for any infringement of patents or other rights of third parties that may result from its use. No license is granted by implication or otherwise under any patent or patent rights of NVIDIA Corporation. Specifications mentioned in this publication are subject to change without notice. This publication supersedes and replaces all information previously supplied. NVIDIA Corporation products are not authorized for use as critical components in life support devices or systems without express written approval of NVIDIA Corporation.

## **Trademarks**

NVIDIA, the NVIDIA logo, 3DFX, 3DFX INTERACTIVE, the 3dfx Logo, STB, STB Systems and Design, the STB Logo, the StarBox Logo, NVIDIA nForce, GeForce, NVIDIA Quadro, NVDVD, NVIDIA Personal Cinema, NVIDIA Soundstorm, Vanta, TNT2, TNT, RIVA, RIVA TNT, VOODOO, VOODOO GRAPHICS, WAVEBAY, Accuviv Antialiasing, the Audio & Nth Superscript Design Logo, CineFX, the Communications & Nth Superscript Design Logo, Detonator, Digital Vibrance Control, DualNet, FlowFX, ForceWare, GIGADUDE, Glide, GOFORCE, the Graphics & Nth Superscript Design Logo, Intellisample, M-BUFFER, nfiniteFX, NV, NVChess, nView, NVKeystone, NVOptimizer, NVPinball, NVRotate, NVSensor, NVSync, the Platform & Nth Superscript Design Logo, PowerMizer, Quincunx Antialiasing, Sceneshare, See What You've Been Missing, StreamThru, SuperStability, T-BUFFER, The Way It's Meant to be Played Logo, TwinBank, TwinView and the Video & Nth Superscript Design Logo are registered trademarks or trademarks of NVIDIA Corporation in the United States and/or other countries. Other company and product names may be trademarks or registered trademarks of the respective owners with which they are associated.

Intel, Indeo, and Pentium are registered trademarks of Intel Corporation. Microsoft, Windows, Windows NT, Windows Vista, Direct3D, DirectDraw, and DirectX are trademarks or registered trademarks of Microsoft Corporation. OpenGL is a registered trademark of Silicon Graphics Inc. PCI Express, PCI-SIG, and the PCI-SIG design marks are registered trademarks and/or service marks of PCI-SIG. DisplayPort is a trademark of the Video Electronics Standards Association (VESA).

Other company and product names may be trademarks or registered trademarks of the respective owners with which they are associated.

## **Copyright**

© 2009 by NVIDIA Corporation. All rights reserved.



# Table of Contents



## 1. Introduction to *Release Notes*

Structure of the Document . . . . .	1
Changes in this Edition . . . . .	1

## 2. Release 181 Driver Changes

Version 181.22 Highlights . . . . .	4
What's New in Release 181 . . . . .	4
What's New in Version 181.22 . . . . .	4
Limitations in This Release. . . . .	5
Changes in Version 181.22 . . . . .	6
Fixed Issues—Windows Vista 32-bit . . . . .	6
Fixed Issues—Windows Vista 64-bit . . . . .	6
Changes in Version 181.20 . . . . .	7
Fixed Issues—Windows Vista 32-bit . . . . .	7
Fixed Issues—Windows Vista 64-bit . . . . .	7
Changes in Version 180.84 . . . . .	8
Fixed Issues—Windows Vista 32-bit . . . . .	8
Fixed Issues—Windows Vista 64-bit . . . . .	8
Changes in Version 180.48 . . . . .	10
Fixed Issues—Windows Vista 64-bit . . . . .	10
Open Issues in Version 181.22 . . . . .	11
Windows Vista 32-bit Issues . . . . .	11
Windows Vista 64-bit Issues . . . . .	13
Not NVIDIA Issues . . . . .	15
Windows Vista Limitations . . . . .	15
Unsupported Features . . . . .	16
OpenGL Application Issues . . . . .	18
Application Issues . . . . .	19
Operating System Issues . . . . .	23
Known Product Limitations . . . . .	24
GeForce GTX 295 Fan Control and NVIDIA Control Panel Performance Group version 6.03.06.00 . . . . .	24
1280x1024 @ 60 Hz not Available on BenQ FP241W Monitors . . . . .	24
Image Sharpening Control not Available with GeForce 8 Series and later GPUs . . . . .	24
Gigabyte GA-6BX Motherboard . . . . .	24

## 3. The Release 181 Driver

Hardware and Software Support . . . . .	27
Supported Operating Systems . . . . .	27
Supported NVIDIA Products . . . . .	28
Supported Languages . . . . .	30
Driver Installation . . . . .	31

Minimum Hard Disk Space . . . . .	31
Before You Begin . . . . .	31
Installation Instructions . . . . .	31

## A. Mode Support for Windows

General Mode Support Information . . . . .	34
Default Modes Supported by GPU . . . . .	35
Understanding the Mode Format . . . . .	35
GeForce 9 Series and GeForce 8 Series GPUs. 36	
GeForce 200 Series of GPUs . . . . .	39
GeForce 8300/8200/8100 and nForce 7xx . . . . .	42
GeForce 9400/9300/9200 Series . . . . .	45
GeForce 7 Series . . . . .	47
GeForce 6 Series and nForce 6xx. . . . .	49
Modes Supported by TV Encoders . . . . .	52



# List of Tables



<b>Table 3.1</b>	Supported NVIDIA Products . . . . .	28
<b>Table A.1</b>	Modes Supported for High Resolution Displays . . . . .	34
<b>Table A.2</b>	Non-standard Modes Supported . . . . .	34
<b>Table A.3</b>	Mode Support for S-Video and Composite Out . . . . .	52
<b>Table A.4</b>	Mode Support for Component YPrPb Out and DVI Out . . . . .	52

## CHAPTER

## 1

# INTRODUCTION TO *RELEASE NOTES*

This edition of *Release Notes* describes the Release 181 Graphics Drivers for Microsoft® Windows® Vista. NVIDIA provides these notes to describe performance improvements and bug fixes in each documented version of the driver.

## Structure of the Document

---

This document is organized in the following sections:

- [“Release 181 Driver Changes” on page 3](#) gives a summary of changes, and fixed and open issues in this version.
- [“The Release 181 Driver” on page 27](#) describes the NVIDIA products and languages supported by this driver, the system requirements, and how to install the driver.
- [“Mode Support for Windows” on page 33](#) lists the default resolutions supported by the driver.

## Changes in this Edition

---

This edition of the *Release Notes* for Windows Vista includes information about NVIDIA graphics driver version 181.22, and lists changes made to the driver since version 178.24. These changes are discussed beginning with the chapter [“Release 181 Driver Changes” on page 3](#).



## CHAPTER

## 2

# RELEASE 181 DRIVER CHANGES

This chapter describes open issues for version 181.22, and resolved issues and driver enhancements for versions of the Release 181 driver up to version 181.22. The chapter contains these sections:

- “Version 181.22 Highlights” on page 4
- “Changes in Version 181.22” on page 6
- “Changes in Version 181.20” on page 7
- “Changes in Version 180.84” on page 8
- “Changes in Version 180.48” on page 10
- “Open Issues in Version 181.22” on page 11
- “Not NVIDIA Issues” on page 15
- “Known Product Limitations” on page 24

## Version 181.22 Highlights

---

This section provides highlights of version 181.22 of the NVIDIA Release 181 Driver for Windows Vista.

- [What's New in Release 181](#)
- [What's New in Version 181.22](#)
- [Limitations in This Release](#)

### What's New in Release 181

---

- Added support for NVIDIA SLI technology on SLI-certified Intel X58-based motherboards with the following GPUs: GeForce GTX 280, GeForce GTX 260, GeForce 9800 GX2, GeForce 9800 GTX+, and GeForce 9800 GTX.
- Added support for GeForce GTX 295 and GeForce GTX 285.
- Added NVIDIA SLI Multi-monitor support, giving you the ability to use two monitors with your GeForce graphics cards in SLI mode.

### What's New in Version 181.22

---

- This driver version includes support for NVIDIA PhysX acceleration on all GeForce 8-series, 9-series and 200-series GPUs with a minimum of 256MB dedicated graphics memory (this driver package installs NVIDIA PhysX System Software v9.09.0010).
- See [“Changes in Version 181.22”](#) on page 6 for a list of resolved issues.

## Limitations in This Release

---

The following are features that are not currently supported or have limited support in this driver release:

- **NVIDIA SLI Antialiasing**
- **NVIDIA Control Panel Display Category**
  - The Graph tab on the Adjust Desktop Color Settings page is not available.

## Changes in Version 181.22

---

The following sections list the changes made and issues resolved since driver version 181.20.

- “Fixed Issues–Windows Vista 32-bit” on page 6
- “Fixed Issues–Windows Vista 64-bit” on page 6

The NVIDIA bug number and driver module are provided for reference.

### Fixed Issues–Windows Vista 32-bit

---

#### Multi-GPU Issues

- [SLI]: Fallout3–the game crashes in some game maps when played at high resolutions (1440x900 or higher) and high settings. [500665]
- [SLI], S.T.A.L.K.E.R.: Clear Sky Benchmark–added an SLI profile for the application.[506981]
- GeForce GTX 295: Occasionally, only one GPU is recognized as supporting CUDA and PhysX after the system is rebooted. [506018]

### Fixed Issues–Windows Vista 64-bit

---

#### Multi-GPU Issues

- [SLI]: Fallout3–the game crashes in some game maps when played at high resolutions (1440x900 or higher) and high settings. [500665]
- [SLI], S.T.A.L.K.E.R.: Clear Sky Benchmark–added an SLI profile for the application.[506981]

## Changes in Version 181.20

---

The following sections list the changes made and issues resolved since driver version 180.84.

- “Fixed Issues–Windows Vista 32-bit” on page 7
- “Fixed Issues–Windows Vista 64-bit” on page 7

The NVIDIA bug number and driver module are provided for reference.

### Fixed Issues–Windows Vista 32-bit

---

#### Single-GPU Issues

- GeForce GTX 280/260: Age of Empires/Company of Heroes–images are blank. [492053]
- GeForce GTX 260/280: Changed the power management behavior to maintain the maximum 3D clocks for all DirectX and OpenGL applications.
- 2xGeForce 6600: With HDTV as the primary Dualview display, the primary desktop switches to the other display when resizing the HDTV desktop. [414516]

#### Multi-GPU Issues

- [Quad-SLI], GeForce 7950 GX2: Crysis: Warhead–frequent pauses occur in the intro video with Quad SLI enabled. [480240]

### Fixed Issues–Windows Vista 64-bit

---

#### Single-GPU Issues

- [3-way SLI], GeForce GTX 280/260: 3DMark06–the TV screen (component or S-Video) goes blank after launching the benchmark with SLI mode enabled. [491193]

## Changes in Version 180.84

---

The following sections list the changes made and issues resolved since driver version 180.48.

- [“Fixed Issues–Windows Vista 32-bit”](#) on page 8
- [“Fixed Issues–Windows Vista 64-bit”](#) on page 8

The NVIDIA bug number and driver module are provided for reference.

### Fixed Issues–Windows Vista 32-bit

---

#### Single-GPU Issues

- GeForce 9800 GTX: World of Warcraft: Wrath of Lich King– initial start up performance is low, but pressing ALT-TAB increases performance. [481076]
- GeForce GTX 280/260, GeForce 9800 GTX: Prince of Persia 4–antialiasing doesn’t work even if forced from the NVIDIA Control Panel. [483855]
- GeForce 8600: Serious Sam 2–performance drop at 1280x1024 with HDR and antialiasing enabled. [340691]
- GeForce 7600 GS, GeForce 6600: S.T.A.L.K.E.R: Shadow of Chernobyl - there is grey texture corruption when any antialiasing value is enabled from the NVIDIA Control Panel. [453842]

#### Multi-GPU Issues

- [SLI]: "SLI Focus Display" cannot be switched to a second monitor and then back to the first monitor without disabling and then re-enabling SLI mode. [476395]
- [3-way SLI], GeForce GTX 280/260: The display turns blank when enabling SLI after adjusting the screen using the “Move CRT Screen Position” page. [479764]
- [SLI], GeForce 9800 GX2: The NVIDIA Control Panel "Set PhysX GPU acceleration" option switches to “Disabled” after enabling SLI [486093]
- [SLI], GeForce 9600 GT: Grand Theft Auto IV–various objects flicker during the intro video and when playing the game. [486145]

### Fixed Issues–Windows Vista 64-bit

---

#### Single-GPU Issues

- GeForce 8600: Serious Sam 2–performance drop at 1280x1024 with HDR and antialiasing enabled. [340691]

- GeForce 7600 GS, GeForce 6600: S.T.A.L.K.E.R: Shadow of Chernobyl - there is grey texture corruption when any antialiasing value is enabled from the NVIDIA Control Panel. [453842]

## Multi-GPU Issues

- [3-way SLI], GeForce GTX 280/260: The display turns blank when enabling SLI after adjusting the screen using the "Move CRT Screen Position" page. [479764]
- [SLI], GeForce 9600 GT: Grand Theft Auto IV—various objects flicker during the intro video and when playing the game. [486145]
- [SLI], GeForce 9800 GTX: World of Warcraft—shadows pop in and out of view when moving around within the game. [481077]
- [SLI], GeForce 9800 GX2: The NVIDIA Control Panel "Set PhysX GPU acceleration" option switches to "Disabled" after enabling SLI [486093]

## Changes in Version 180.48

---

The following sections list the changes made and issues resolved since driver version 178.24.

- [“Fixed Issues–Windows Vista 64-bit”](#) on page 10

The NVIDIA bug number and driver module are provided for reference.

### Fixed Issues–Windows Vista 64-bit

---

#### Multi-GPU Issues

- [SLI], GeForce 9800 GTX: World of Warcraft 3.0.2—shadows are flickering with SLI enabled.

## Open Issues in Version 181.22

---

As with every released driver, version 181.22 of the Release 181 driver has open issues and enhancement requests associated with it. This section includes lists of issues that are either not fixed or not implemented in this version. Some problems listed may not have been thoroughly investigated and, in fact, may not be NVIDIA issues. Others may have workaround solutions.

- [“Windows Vista 32-bit Issues”](#) on page 11
- [“Windows Vista 64-bit Issues”](#) on page 13

### Windows Vista 32-bit Issues

---

#### Single GPU Issues

##### All GPUs

- Far Cry 2 –Override Antialiasing from the NVIDIA Control Panel is not getting applied to the game. [486104]
- Half Life 2: Episode 2–the in-game brightness is greatly reduced if Enhanced or Override AA is enabled from the NVIDIA Control Panel. [429254]
- Counter Strike–the application crashes to the desktop if the resolution or bit-depth is changed from the in-game video options menu.

*The problem does not occur if you change the resolution or bit-depth from the game’s main menu and not while in a game.*

##### GeForce 200 Series

- GeForce GTX 280/260: Lord of the Rings Online–there is corruption in the shadow areas. [490186]

##### GeForce 9 Series

- GeForce 9 Series: Changes to the NVIDIA Control Panel “Change flat panel scaling” option are not applied with DVI+HDTV connected in Clone mode. [439308]
- GeForce 9800 GTX: Flight Simulator Acceleration (DirectX 10) - the sky box does not render correctly when zoomed all the way out. [436158]
- GeForce 9800 GTX: Flight Simulator Acceleration (DirectX 10) - there is no antialiasing preview window. [436156]
- GeForce 9600 GT/8800 GTX: Far Cry 2–Override AA control from the NVIDIA Control Panel does not work in the game. [486104]

##### GeForce 8 Series GPUs

- GeForce 8800: Default custom resolutions cannot be created when using the DVI connection. [446476]

- GeForce 8800 GT/GTX: Gears of War—there is tearing in the application, even when V-Sync is turned on from the in-game menu. [438689]
- GeForce 8800 GTX/Ultra: OpenGL applications experience a drop in performance with in-game 8x antialiasing set.
- GeForce 8800 GT/GTX: Crysis (DirectX 10) - game performance drops after switching to a higher resolution and then switching back to the lower resolution. [368740]
- GeForce 8800 GTX: Tabula Rasa—there is ghosting on the game character while standing below the drop ship after enabling refraction from the game control panel. [357271]
- GeForce 8600: HD resolutions higher than 720p are not available.[308627]

### **GeForce 7 Series GPUs**

- GeForce 7600GS: There is no audio thru the SPDIF. [406176]
- GeForce 7600 GS: The display colors are corrupted when connected via S-Video. [386507]
- GeForce 7300 GS: The NVIDIA Control Panel presents TV as an option even if a TV is not connected. [355144]

### **GeForce 6 Series GPUs**

- The TV format is not set properly from the NVIDIA Control Panel->Change signal or HD format page. [373501]
- GeForce 6600: The Elder Scrolls 4:Oblivion – the display turns blank when the game is played at 1920x1200 resolution.[289525]
- GeForce 6600: Stars Wars Battlefront2—blue-screen crash occurs when High settings are used.[302213]
- GeForce 6200: Call of Juarez—there is corruption at all resolutions. [356711]
- GeForce 6100/6150: Flat panel settings cannot be changed with Clone mode enabled. [485979]

## **Multi-GPU Issues**

### **GeForce 200 Series GPUs**

- [SLI], GeForce GTX 280/260: Mass Effect—antialiasing levels fall back whenever the in-game resolution is switched to a lower resolution.[477335]
- [3-way SLI], GeForce GTX 280/260: 3DMark06—the TV screen (component or S-Video) goes blank after launching the benchmark with SLI mode enabled. [491193]
- [SLI], GeForce GTX 280/260: At 2560x1600 resolution, the GPU clock speeds do not change when switching from single-display to Dualview display mode.

## GeForce 9 Series GPUs

- [3-way SLI], GeForce 9800 GTX/nForce 750/780a SLI: Portal –there are white lines at the borders of the textures when the game is launched with default settings. [441377]
- [SLI], GeForce 9800 GTX: Mass Effect–there is a band of corruption on the edge of the screen when switching from a high resolution to a lower resolution. [433929]
- [Quad SLI], GeForce 9800 GX2: Test Driver Unlimited–there is pausing/hitching during the cut scene transitions. [395207]

## GeForce 8 Series GPUs

- [3xSLI], GeForce 8800 GTX/Ultra: Installing the driver on a 3-way SLI system takes a minimum of 3–4 minutes, and possibly longer if drivers have been previously installed on the system. [354847]

*The installation does complete in time–NVIDIA recommends that you do not interrupt the installation process, but wait for it to complete.*

- [SLI], GeForce 8800 GTX: Test Drive Unlimited–the intro cut scene pauses during transitions when SLI mode is enabled. [301655]

## Windows Vista 64-bit Issues

---

### Single GPU Issues

- NVIDIA Control Panel: The user cannot create custom resolutions. [496045]
- NVIDIA Control Panel: Adding a custom profile with an open bracket in the name results in an error. [437056]
- Half Life 2: Episode 2–the in-game brightness is greatly reduced if Enhanced or Override AA is enabled from the NVIDIA Control Panel. [429254]

### GeForce 200 Series

- GeForce GTX 280/260: Lord of the Rings Online–there is corruption in the shadow areas. [490186]

### GeForce 9 Series

- 3xGeForce 9800 GTX: Saved profile does not load properly. [477263]
- GeForce 9800 GTX: Flight Simulator Acceleration (DirectX 10) - the sky box does not render correctly when zoomed all the way out. [436158]
- GeForce 9800 GTX: Flight Simulator Acceleration (DirectX 10) - there is no antialiasing preview window. [436156]
- GeForce 8800 GT/GTX: Default custom resolutions cannot be created when using the DVI connection. [446476]
- GeForce 8800 GTX, NVIDIA Control Panel: The user is unable to select Resize my Desktop while playing an HD DVD. [357674]

- GeForce 8800 GT/GTX: Crysis (DirectX 10) - game performance drops after switching to a higher resolution and then switching back to the lower resolution. [368740]
- nForce 780a SLI: Star Wars Battlefront—the application crashes to the desktop after clicking "Training" from the game control panel with default settings. [439883]

### **GeForce 7 Series**

- GeForce 7600GS: There is no audio thru the SPDIF. [406176]

### **GeForce 6 Series**

- GeForce 6100/6150: Flat panel settings cannot be changed with Clone mode enabled. [485979]

## **Multi-GPU Issues**

- [3-way SLI]: The driver fails to install correctly when installing the driver over a previous version. [459180]

*You must first uninstall the previous NVIDIA graphics driver from the Windows control panel under Programs (uninstall a program).*

### **GeForce 200 Series**

- [Hybrid SLI], GeForce GTX 260/280+nForce 760/780a SLI: Fraps does not run if set to run at Windows launch in Hybrid SLI performance or save power modes. [443794]

### **GeForce 9 Series**

- [3-way SLI], GeForce 9800 GTX: Crysis (64-bit) (DirectX 9)— there is a lengthy pause or the system freezes when firing a weapon.

*This issue does not occur with the DirectX 10 version of the game, which is recommended.*

- [Quad SLI], GeForce 9800 GX2: Test Driver Unlimited—there is pausing/hitching during the cut scene transitions. [395207]

### **GeForce 8 Series**

- [3xSLI], GeForce 8800 GTX/Ultra: Frame drops occur during HD-DVD video playback in the PIP window using PowerDVD. [356445]

### **GeForce 6 Series**

- [SLI], GeForce 6600: The SLI visual indicator does not display with OpenGL applications, such as Chronicle of Riddick, Enemy Territory: QUAKE Wars, and Quake 4. [457633]

## Not NVIDIA Issues

---

This section lists issues that are not due to the NVIDIA driver as well as features that are not meant to be supported by the NVIDIA driver for Windows Vista.

- “Windows Vista Limitations” on page 15
- “Unsupported Features” on page 16
- “OpenGL Application Issues” on page 18
- “Application Issues” on page 19
- “Operating System Issues” on page 23

## Windows Vista Limitations

---

These are behaviors that may be different from Windows XP and are related directly to the Windows Vista operating system.

- **NVIDIA TurboCache**

Windows Vista now controls the allocation of system memory to the GPU for TurboCache functions. The Windows Vista Display Properties pages show the shared system memory (SSM), or how much memory is allocated for NVIDIA GPUs to use for TurboCache.

For more information on graphics memory reporting under Windows Vista, visit <http://www.microsoft.com/whdc/device/display/graphicsmemory.mspx>.

## Unsupported Features

---

The following are features and functionality that were available in driver releases supporting Windows XP, but are not—and will not be—available in driver releases for Windows Vista:

- **High resolution scaling desktop (HRSD)**
- **MultiView Display Mode** (for NVIDIA Quadro NVS graphics cards)
- **NVKeystone**
- **Unified back buffer (UBB) controls**
- **OpenGL Video Overlays**

This is an operating system limitation.

Vista window manager features will provide new ways of accomplishing overlays, but will require application porting.

- **Overclocking**

GPU overclocking is no longer supported in the default GPU driver control panel. This feature is available in the NVIDIA System Tools software, which you can download from [NVIDIA.com](http://NVIDIA.com).

- **GPU Temperature Monitoring**

Temperature monitoring is no longer supported in the default GPU driver control panel. This feature is available in the NVIDIA System Tools software, which you can download from [NVIDIA.com](http://NVIDIA.com).

- **AGP Settings Adjustment**

- **Video Zoom**

- **Pan & Scan** - the process of panning across the desktop in order to display a desktop on a monitor with lower resolution

- **Per-display Desktop Color Setting Adjustments**

For Clone mode, the desktop color setting adjustments through the NVIDIA Control Panel can only be made across all displays in a system, and not on a per-display basis.

- **Per-display Video Color Setting Adjustments**

For Dualview mode, the video color setting adjustments through the NVIDIA Control Panel can only be made across all displays in a system, and not on a per-display basis.

- **Edge Blending**
- **Run display optimization wizard**
- **Run multiple display wizard**

- **Run television setup wizard**
- **nView Horizontal and Vertical Span Modes**

Due to architectural changes in the new Windows Vista Window Display Driver Model (WDDM), span mode cannot be supported in NVIDIA graphics drivers. NVIDIA recommends using the built-in Windows Vista multi-display modes.

- **Display/Connection Wizard** (such as was provided with Windows Media Center Edition)
- **DVD/MPEG Extensions** (such as was provided with Windows Media Center Edition)
- **Audio Extensions** (such as was provided with Windows Media Center Edition)
- **Windowed quad-buffered stereo**  
This is an operating system limitation.
- **NVIDIA nView Desktop Manager**

The nView Desktop Manager will not be included in drivers for GeForce products.

## OpenGL Application Issues

---

The following are known compatibility issues for OpenGL applications developed under Windows XP:

- Mixed GDI and OpenGL rendering does not work.

A number of applications use GDI to render UI components and object highlighting. This is not supported in the Windows Vista driver model.

NVIDIA recommends converting GDI rendering to OpenGL.

The following are some applications that are known to have this issue:

- Maya 7.01
- OneSpace Designer Modeling
- Applications, Tools, and Benchmarks not Supported Under Windows Vista
  - GLperf
  - 3ds max 8 (later releases may be supported)
  - CATIA V5R15 (V5R16 is supported)
  - PTC's CDRS 2001
- Front buffered rendering may be slow, especially when DWM is enabled.

Flushing the rendering queue while rendering to the front buffer may cause the window manager to recomposite. Applications should therefore minimize the frequency with which they flush the rendering queue.

## Application Issues

---

- Star Wars: Knights Of The Old Republic 2—the game fails to launch, and an “application has stopped working” error message appears. [420115]  
*This occurs because the application is not able to interpret the driver version correctly.*
- Tiger Woods PGA Tour 2007—Fly-by shot before each hole blacks-out textures. [274697]  
*NVIDIA is working with the developer to resolve this issue.*
- City of Heroes—The mouse cursor does not display. [259256]  
*This is an application issue that can be worked around in full-screen mode by adding “compatiblecursors 1” to the City of Heroes desktop shortcut.  
NVIDIA is pursuing a fix with the application developer.*
- Sims 2—“Smooth Edges (AA)” option is not available with Release 100 drivers. [272477]  
*This occurs because of an incorrect driver version check in the application.  
NVIDIA has worked around this issue in the operating system by changing the way the driver version is reported to this application.*
- Warhammer 40k Dawn of War (all versions) does not run with Release 100 drivers. [273154]  
*This occurs because of an incorrect driver version check in the application.  
NVIDIA has worked around this issue in the operating system by changing the way the driver version is reported to this application.*
- Need for Speed Carbon—After upgrading with patch 1.3, the game crashes when launched. [290506]  
*This is an issue with the application patch under Windows Vista.*
- Nascar Simracing—the game crashes when launched. [270792]  
*This is an issue with the application under Windows Vista.*
- Call of Duty 2—Only solid colors render during game play when 4xAA is enabled. [257454]  
*The application is not applying antialiasing properly. Please try selecting 2x AA, disabling antialiasing, or using NVIDIA Enhanced application or Override antialiasing modes.  
NVIDIA is pursuing a fix with the application developer*
- Age of Empires III—the game has rendering artifacts, such as textured squares for smoke. [258036]
- Flight Simulator X—pressing Alt+Tab to switch to the desktop does not work. [293729]

- Everquest 2– with NVIDIA driver versions 100.xx, the following error message appears: [273346]

"You currently have a (7.15.11.120) video card installed. We recommend that you download version 7772 drivers before playing Everquest."

*This occurs because the application is not checking the driver version correctly, but this does not affect game play. Please select "Continue Anyway" to launch the game. The problem does not occur with a previous Release 95 driver (xx.xx format).*

*NVIDIA is pursuing a fix with the application developer.*

- Windows Vista 64-bit, [PhysX]: TheGameCreators PhysX Screen Saver doesn't get installed properly. [491613]

*This is not an NVIDIA issue, but a bug in Vista 64-bit OS that affects the installation of many screen savers. To work around, locate the corresponding .scr file for the screen saver, then right-click and select **Install**.*

**Note:** *PhysXscreensaver.scr is located in \windows\SysWOW64.*

- GeForce 9800 GX2: Fury (DirectX 10)–the character names flicker. [384917]

*This is not an NVIDIA bug, but rather an application issue.*

- GeForce 9600 GT, GeForce 9800 GX2, GeForce 8800 GTX/Ultra/GTS/GT: Assassin's Creed: Directors Cut - the shadow flickers. [400541]

*This is not an NVIDIA bug, but rather an application issue.*

- GeForce 9600 GT: Crysis (DirectX 9) - there is corruption in the game. [399261]

*This is not an NVIDIA bug, but rather an issue with the application issue. To avoid this issue, use the DirectX 10 option of the game.*

- GeForce 8800 GT: Company of Heroes DirectX10 - the application crashes when MSAA is enabled. [346495]

*This is a Fraps 2.9.2 issue.*

- GeForce 8 Series: Quake 4–there are white flashing artifacts. [273476]

- GeForce 8800: City of Heroes–there are corrupted textures in certain missions.[290659]

*This has been fixed with the latest patch for the game.*

- GeForce 8800: Ghost Recon - Advanced Warfighter–the gadget side bar bleeds through on the right side of the screen during game play. [281304]

- GeForce 8800 GTX: Star Wars Battle front 2–screen corruption occurs at 2560x1600 resolution. [325457]

- GeForce 8800 GTX, GeForce 7900 GTX: Neverwinter Nights 2–the mini map loses its background when the resolution is changed. [273788]

- GeForce 8800 GTX: Civilization 4–setting in-game 16x antialiasing AA disables all antialiasing.[303283]

- GeForce 8800 GTX: Flight Simulator—the terrain changes to low resolution when switching from Air Traffic-controlled to player-controlled airplane.[304840]
- GeForce 8800 GTX: Scarface—corruption during the game.[290007]
- GeForce 8800 GTX: Neverwinter Nights 2—only overlays render when switching to 2560x1600 using 8xAA. [302061, 314148]
- GeForce 8800 GTX: Command & Conquer:Tiberium Wars—the game crashes at 2560x1600 resolution, with 8x antialiasing enabled, and when in-game settings are set to the highest levels. [308248/316633]
- GeForce 7900: Flight Simulator X – rendering becomes corrupted after pressing the Windows key. [293727 296232]

- GeForce 7600: Rainbow Six Vegas – antialiasing is not applied when setting antialiasing override mode in the NVIDIA Control Panel. [294215]

*Antialiasing is supported in this application only on GeForce 8 series and higher GPUs.*

- GeForce 8500/8400/8300: Corruption occurs while running MicroSoft SDK Basic HLSL sample application. [302209]
- GeForce 8500/8400/8300: Dark Messiah of Might and Magic—an application error occurs when quitting the game. [300980]

*This is an issue with the application.*

- GeForce 8500/8400/8300: Elder Scrolls IV: Oblivion—the game crashes after restoring from minimization. [296725]
- GeForce 7900 GTX: CPU usage is extremely high during H.264 playback of Blu-ray disc, resulting in dropped frames. [304480]
- GeForce 7300GS: Rainbow Six Vegas—the display turns black at 1600x1200 resolution.[302319]
- GeForce 7300 GT: Far Cry—geometry is corrupted during rendering of blood.[304348]
- GeForce 7300 GT: Company Of Heroes—the shadows are corrupt at the default game settings with SLI mode enabled. [346746]

*This is an issue with the application.*

- 322008 GeForce 8600 GT: Battlefield 2—the game crashes to desktop when set to 1900x1440 resolution 8x antialiasing.

*This problem occurs only when you have FRAPS 2.6.4 installed. It does not occur with FRAPS 2.8.2*

- 316403 GeForce 8 Series, GeForce 7 Series: NV SDK 9.5 Mandelbrot set fails to render fractal.

*This is an issue with the NV SDK and will be fixed in a newer build.*

- GeForce 8 Series: Prince of Persia—half the screen turns black and the other half turns white during resolution changes. [299484]

*This is an issue with the application.*

- GeForce 8800 GTX: Company of Heroes (DirectX 10)–the game crashes when the maximum settings are applied at 2560x1600 with 8xAA enabled. [321631]

*This is an issue with the application.*

- GeForce 7950 GX2: Flight SimX – water has artifacts. [292168]
- GeForce 6100/6150: Gothic–there is flickering with a white screen when using the default settings.[303552]
- GeForce 6200: Star Wars Empire at War–the game menu buttons are corrupt. [357713]

## Application Issues Under SLI Mode

- [SLI]: NVIDIA SLI scaling on some applications under Windows Vista may not be as much as under Windows XP. Some applications include "S.T.A.L.K.E.R., Half-Life 2: Lost Coast, Company of Heroes, Battlefield 2142, Call of Duty 2, Hitman: Blood Money, and Far Cry. [302534 290803]

*This is an application issue which has been resolved with the latest Steam patch.*

- [SLI], GeForce 9800 GX2: The Witcher–a blooming light shines through objects with SLI mode enabled. [396736]

*This is not an NVIDIA bug, but rather an application issue.*

- [SLI], GeForce 8800 GTX, GeForce 8600, GeForce 6 Series: Company of Heroes–there is corruption in the ground textures. [294118]

*This is an application issue, and has been fixed with the latest patch for the game.*

- [SLI], GeForce 8800 GTX: Battlefield 2 and Battlefield 2142–the games crash when exiting back to the menu after being played at 2048x1536 using 8xAA or higher. [301985]

*This is an issue with the application.*

- [SLI], GeForce 7900 GTX: Chess Titans–with Aero-glass enabled, there is blanking when resizing the game window. [346775]

*This is an issue with the application.*

- [SLI], GeForce 8800: While uninstalling driver the driver, the error message "Windows host process (Rundll32) has stopped working" appears. [294219 280920]
- [SLI], GeForce 8800: Splinter Cell Double Agent – the game crashes when minimized and then invoked again. [294205]
- [SLI], GeForce 8800: Battlefield 2142 – 8xAA cannot be set from the game control panel.[294231]
- [SLI], GeForce 7900:Microsoft Flight simulator X – corruption and flickering occur while flying close to land objects. [293882]

## Operating System Issues

---

- World of Warcraft – there is a 60% drop in performance when running the game in windowed mode with SLI or multi-GPU mode enabled. [289427]

*This is due to a limitation of the Windows Vista operating system and affects all multi-GPU systems. NVIDIA is investigating a workaround for this performance problem.*

- GeForce 8800 GTS 320MB: The driver reports incorrect video memory (256 MB) in the Windows Vista Display Properties panel. [290811]

*However, the NVIDIA Control Panel properly reports the dedicated video memory as 320 MB.*

- GeForce 8800 GTX, GeForce 7900 GTX: Company of Heroes crashes when trying to load the Cherbourg level.[284273]

*This is an issue with the operating system. A QFE (software patch) from Microsoft is being worked on to fix this issue.*

- GeForce 7300 GT: Windows Vista desktop gadgets are blank (only outline visible) after changing the primary display while playing an HD DVD or Blu-ray disc.[303482]

*This is an issue with the operating system.*

- GeForce 6200: Foxbear–there is corruption on the Dualview secondary display.[302709]

*This is an issue with the operating system.*

- [SLI], GeForce 8800 GTX: While installing the graphics driver, the message "Incompatible display adapter has been disabled" appears and the display turns blank. [318173]

*This is an issue with the operating system.*

- When S-video and DVI displays are set up in Clone mode and rotated 90 degrees, the screen turns black.[304267, 283546]

*This is an issue with the operating system.*

- GeForce 8800 GTX: DreamScene–running the application results in a "Display driver has stopped responding" error message. [295017]

*This is an issue with the OS.*

- GeForce 8300 GS: With Aero-glass enabled, the screen flickers after rotating the display 90 degrees with S-Video as the primary display. [317347]

*This is an issue with the OS.*

## Known Product Limitations

---

This section describes problems that will not be fixed. Usually, the source of the problem is beyond the control of NVIDIA. Following is the list of problems and where they are discussed in this document:

- “GeForce GTX 295 Fan Control and NVIDIA Control Panel Performance Group version 6.03.06.00” on page 24
- “1280x1024 @ 60 Hz not Available on BenQ FP241W Monitors” on page 24
- “Image Sharpening Control not Available with GeForce 8 Series and later GPUs” on page 24
- “Gigabyte GA-6BX Motherboard” on page 24

### GeForce GTX 295 Fan Control and NVIDIA Control Panel Performance Group version 6.03.06.00

---

The GeForce GTX 295 fan control does not function properly when using the NVIDIA Control Panel Performance Group version 6.03.06.00. For proper fan control, use version 6.03.12.00 or later.

### 1280x1024 @ 60 Hz not Available on BenQ FP241W Monitors

---

Even though the monitor EDID lists 1280x1024 @ 60 Hz, the screen turns blank when using an HDMI connection. This is an issue with the monitor and not the NVIDIA driver.

Because of this issue with the monitor, the NVIDIA driver blocks the problem mode (1280x1024 @ 60 Hz) and makes it unavailable.

### Image Sharpening Control not Available with GeForce 8 Series and later GPUs

---

With GeForce 8 Series and later graphics cards, the **Image sharpening** slider on the NVIDIA Control Panel-> Display->Adjust Desktop Color Settings page is grayed out.

This control is intentionally disabled because image sharpening is not supported on GeForce 8 series and later GPUs.

### Gigabyte GA-6BX Motherboard

---

This motherboard uses a LinFinity regulator on the 3.3-V rail that is rated to only 5 A—less than the AGP specification, which requires 6 A. When diagnostics or applications are running, the temperature of the regulator rises, causing the voltage to the NVIDIA chip to drop as low as 2.2 V. Under these circumstances, the regulator cannot supply the current on the 3.3-V rail that the NVIDIA chip requires.

This problem does not occur when the graphics board has a switching regulator or when an external power supply is connected to the 3.3-V rail.



## CHAPTER

## 3

# THE RELEASE 181 DRIVER

This chapter covers the following main topics:

- “Hardware and Software Support” on page 27
- “Driver Installation” on page 31

## Hardware and Software Support

---

### Supported Operating Systems

---

The Release 181 driver, version 181.22, has been tested with Microsoft Windows® Vista RTM OS builds version 6000 or higher, and supports both 32-bit and 64-bit versions of Windows Vista Editions:

- Windows Vista Home Basic
- Windows Vista Home Premium
- Windows Vista Business
- Windows Vista Enterprise Edition
- Windows Vista Ultimate

## Supported NVIDIA Products

---

Table 3.1 lists the NVIDIA products supported by the Release 181 driver, version 181.22

**Table 3.1** Supported NVIDIA Products

### Consumer Products

- GeForce GTX 295
- GeForce GTX 285
- GeForce GTX 280
- GeForce GTX 260
- GeForce 9800 GX2
- GeForce 9800 GTX+
- GeForce 9800 GTX
- GeForce 9800 GT
- GeForce 9600 GT
- GeForce 9600 GSO
- GeForce 9500 GT
- GeForce 9500 GS
- GeForce 9400 GT
- GeForce 9300 GS
- GeForce 9300 GE
- GeForce 9400
- GeForce 9300
- GeForce 9200
- GeForce 8800 Ultra
- GeForce 8800 GTX
- GeForce 8800 GTS 512
- GeForce 8800 GTS
- GeForce 8800 GT
- GeForce 8800 GS
- GeForce 8600 GTS
- GeForce 8600 GT
- GeForce 8600 GS
- GeForce 8500 GT
- GeForce 8400 GS
- GeForce 8400 SE
- GeForce 8400
- GeForce 8300 GS
- GeForce 8300
- GeForce 8200
- GeForce 8100 / nForce 720a
- nForce 780a SLI
- nForce 760i SLI
- nForce 750a SLI
- nForce 730a
- GeForce 7950 GX2
- GeForce 7950 GT

**Table 3.1** Supported NVIDIA Products**Consumer Products**

GeForce 7900 GTX  
GeForce 7900 GT/GTO  
GeForce 7900 GS  
GeForce 7800 SLI  
GeForce 7800 GTX  
GeForce 7800 GT  
GeForce 7800 GS  
GeForce 7650 GS  
GeForce 7600 GT  
GeForce 7600 GS  
GeForce 7600 LE  
GeForce 7500 LE  
GeForce 7350 LE  
GeForce 7300 SE  
GeForce 7300 LE  
GeForce 7300 GT  
GeForce 7300 GS  
GeForce 7200 GS  
GeForce 7100 GS  
GeForce 7150 / NVIDIA nForce 630i  
GeForce 7100 / NVIDIA nForce 630i  
GeForce 7050 / NVIDIA nForce 620i  
GeForce 7050 / NVIDIA nForce 610i  
GeForce 7100 / NVIDIA nForce 620i  
GeForce 7050 PV / NVIDIA nForce 630a  
GeForce 7050 PV / NVIDIA nForce 630a  
GeForce 7025 / NVIDIA nForce 630a  
GeForce 6800 XT  
GeForce 6800 XE  
GeForce 6800 Ultra  
GeForce 6800 Series GPU  
GeForce 6800 LE  
GeForce 6800 GT  
GeForce 6800 GS/XT  
GeForce 6800 GS  
GeForce 6800  
GeForce 6700 XL  
GeForce 6610 XL  
GeForce 6600 VE  
GeForce 6600 LE  
GeForce 6600 GT  
GeForce 6600  
GeForce 6500  
GeForce 6250  
GeForce 6200SE TurboCache™  
GeForce 6200 TurboCache™

**Table 3.1** Supported NVIDIA Products**Consumer Products**

GeForce 6200 LE  
 GeForce 6200 A-LE  
 GeForce 6200  
 GeForce 6150SE nForce 430  
 GeForce 6150 LE  
 GeForce 6150  
 GeForce 6100 nForce 420  
 GeForce 6100 nForce 405  
 GeForce 6100 nForce 400  
 GeForce 6100

---

**Supported Languages**

The Release 181 Graphics Drivers supports the following languages in the main driver Control Panel:

English (USA)	German	Portuguese (Euro/Iberian)
English (UK)	Greek	Russian
Arabic	Hebrew	Slovak
Chinese (Simplified)	Hungarian	Slovenian
Chinese (Traditional)	Italian	Spanish
Czech	Japanese	Spanish (Latin America)
Danish	Korean	Swedish
Dutch	Norwegian	Thai
Finnish	Polish	Turkish
French	Portuguese (Brazil)	

# Driver Installation

---

## Minimum Hard Disk Space

---

The hard disk space requirement for 32-bit is minimum 73.1 MB for English-only, and 102 MB for International.

The hard disk space requirement for 64-bit is minimum 90.9 MB for English-only, and 119 MB for International.

## Before You Begin

---

If you have previously installed NVIDIA nTune, NVIDIA recommends that you uninstall nTune before installing this driver. After the driver install is complete, you can reinstall NVIDIA nTune.

## Installation Instructions

---

- 1 Follow the instructions on the NVIDIA .com Web site driver download page to locate the appropriate driver to download, based on your hardware and operating system.
- 2 Click the driver download link.
- 3 The license agreement dialog box appears.
- 4 Click **Accept** if you accept the terms of the agreement, then either open the file or save the file to your PC and open it later.
- 5 Extract the zip files to a temporary folder on your PC.
- 6 Open the NVIDIA driver installation .EXE file to launch the NVIDIA InstallShield Wizard.
- 7 Follow the instructions in the NVIDIA InstallShield Wizard to complete the installation.

**Note:** After the driver installation, Windows may default to 16-bpp color and disable the Desktop Window Manager (DWM). To work around this issue, set the color to 32-bpp and then reboot the PC.



## APPENDIX



## MODE SUPPORT FOR WINDOWS

This chapter details the Windows modes supported by the Release 181 driver for NVIDIA products. It contains these sections:

- “General Mode Support Information” on page 34
- “Default Modes Supported by GPU” on page 35
- “Modes Supported by TV Encoders” on page 52

## General Mode Support Information

---

The NVIDIA graphics driver includes a standard list of display modes that are supported by default. These modes are listed in the section [“Default Modes Supported by GPU”](#) on page 35.

The actual modes available depend on the capabilities of the display. In addition, the NVIDIA graphics driver has a “dynamic EDID detection” capability and will make available *additional* modes that are listed in the display EDID, provided the graphics hardware can support it.

The NVIDIA graphics driver also supports the high resolutions available with the displays listed in [Table A.1](#) as well as the non-standard modes listed in [Table A.2](#).

**Table A.1** Modes Supported for High Resolution Displays

Display	Maximum Resolution
Apple 30" Cinema HD Display (Dual link DVI)	2560x1600 @ 60 Hz
Dell WFP 3007 (Dual Link DVI)	2560x1600 @ 60 Hz
HP LP3065 dual-link DVI flat panel	2560x1600 @ 60Hz.

**Table A.2** Non-standard Modes Supported

Resolution
1680 x 1050
1366 x 768

## Default Modes Supported by GPU

---

This section lists the modes that are included by default in the driver INF for the following product families:

- “GeForce 9 Series and GeForce 8 Series GPUs” on page 36
- “GeForce 200 Series of GPUs” on page 39
- “GeForce 8300/8200/8100 and nForce 7xx” on page 42
- “GeForce 9400/9300/9200 Series” on page 45
- “GeForce 7 Series” on page 47
- “GeForce 6 Series and nForce 6xx” on page 49

### Understanding the Mode Format

---

Figure A.1 gives an example of how to read the mode information presented in this section.

Resolution	Color Depth	Refresh Rates

**Example entry:** 1024 x 768 32 60 70 72 75 85 100 120 140 144 150 170 200

**Meaning:**

Resolution:	1024 x 768
Color depth:	32 bpp
Refresh rates:	60 Hz, 70 Hz, 72 Hz, 75 Hz, 85 Hz, 100 Hz, 120 Hz, 140 Hz, 144 Hz, 150 Hz, 170 Hz, and 200 Hz

**Figure A.1** Mode Format

**Note:**

- Horizontal spanning modes of 3840x1080 and above, and vertical spanning modes of 1920x2160 and above generally require at least 32 MB of video memory at 32 bpp.
- An “i” next to the refresh rate indicates an interlaced refresh rate.

## GeForce 9 Series and GeForce 8 Series GPUs

---

This sections lists the supported display resolutions, color depths, and refresh rates for the the following products:

- GeForce 9800 GTX+
- GeForce 9800 GTX
- GeForce 9800 GX2
- GeForce 9800 GT
- GeForce 9600 GT
- GeForce 9600 GSO
- GeForce 9500 GT
- GeForce 9400 GT
- GeForce 9300 GS
- GeForce 9300 GE
- GeForce 8800 Ultra
- GeForce 8800 GTX
- GeForce 8800 GTS 512
- GeForce 8800 GTS
- GeForce 8800 GT
- GeForce 8600 GTS
- GeForce 8600 GT
- GeForce 8600 GS
- GeForce 8500 GT
- GeForce 8400 GS
- GeForce 8400 SE
- GeForce 8400
- GeForce 8300 GS

### Standard Modes

640 x	480	8	60	72 75 85 100
720 x	480	8	60	
720 x	576	8	50 60	

800 x 600	8		60	72	75	85	100							
1024 x 768	8		60	70	72	75	85	100						
1152 x 864	8		60	70	72	75	85	100	120	140	144	150	170	200
1280 x 720	8		60	70	72	75	85	100						
1280 x 768	8		60	70	72	75	85	100						
1280 x 800	8		60	70	72	75	85	100						
1280 x 960	8		60	70	72	75	85	100						
1280 x 1024	8		60	70	72	75	85	100						
1360 x 768	8		60	70	72	75	85	100						
1440 x 900	8		60											
1600 x 1200	8		60	70	72	75	85	100						
1680 x 1050	8		60											
1920 x 1080	8	30i												
1920 x 1200	8		60	72	75	85	100							
1920 x 1440	8		60	70	72	75	85	100						
2048 x 1536	8		60	70	72	75	85	100						

---

640 x 480	16		60	72	75	85	100							
720 x 480	16		60											
720 x 576	16	50	60											
800 x 600	16		60	72	75	85	100							
1024 x 768	16		60	70	72	75	85	100						
1152 x 864	16		60	70	72	75	85	100	120	140	144	150	170	200
1280 x 720	16		60	70	72	75	85	100						
1280 x 768	16		60	70	72	75	85	100						
1280 x 800	16		60	70	72	75	85	100						
1280 x 960	16		60	70	72	75	85	100						
1280 x 1024	16		60	70	72	75	85	100						
1360 x 768	16		60	70	72	75	85	100						
1440 x 900	16		60											
1600 x 1200	16		60	70	72	75	85	100						
1680 x 1050	16		60											
1920 x 1080	16	30i												
1920 x 1200	16		60	72	75	85	100							
1920 x 1440	16		60	70	72	75	85	100						
2048 x 1536	16		60	70	72	75	85	100						

---

640 x 480	32		60	72	75	85	100
720 x 480	32		60				



## GeForce 200 Series of GPUs

---

This sections lists the supported display resolutions, color depths, and refresh rates for the following products:

- NVIDIA GeForce GTX 295
- NVIDIA GeForce GTX 285
- NVIDIA GeForce GTX 280
- NVIDIA GeForce GTX 260

### Standard Modes

640 x 480	8	60
800 x 600	8	60 70 75 85 100
848 x 480	8	60 70 75 85 100
960 x 600	8	60 70 75 85 100
1024 x 768	8	60 70 75 85 100
1152 x 864	8	60 70 75 85 100
1280 x 768	8	60
1280 x 800	8	60
1280 x 960	8	60 70 75 85 100
1280 x 1024	8	60 70 75 85 100
1360 x 768	8	60
1600 x 1200	8	60 70 75 85 100
1680 x 1050	8	60
1920 x 1200	8	60
1920 x 1440	8	60 70 75 85 100
2048 x 1536	8	60 70 75 85 100

-----

640 x 480	16	60
800 x 600	16	60 70 75 85 100
848 x 480	16	60 70 75 85 100
960 x 600	16	60 70 75 85 100
1024 x 768	16	60 70 75 85 100
1152 x 864	16	60 70 75 85 100
1280 x 768	16	60
1280 x 800	16	60
1280 x 960	16	60 70 75 85 100
1280 x 1024	16	60 70 75 85 100

1360 x 768	16	60
1600 x 1200	16	60 70 75 85 100
1680 x 1050	16	60
1920 x 1200	16	60
1920 x 1440	16	60 70 75 85 100
2048 x 1536	16	60 70 75 85 100

---

640 x 480	32	60
800 x 600	32	60 70 75 85 100
848 x 480	32	60 70 75 85 100
960 x 600	32	60 70 75 85 100
1024 x 768	32	60 70 75 85 100
1152 x 864	32	60 70 75 85 100
1280 x 768	32	60
1280 x 800	32	60
1280 x 960	32	60 70 75 85 100
1280 x 1024	32	60 70 75 85 100
1360 x 768	32	60
1600 x 1200	32	60 70 75 85 100
1680 x 1050	32	60
1920 x 1200	32	60
1920 x 1440	32	60 70 75 85 100
2048 x 1536	32	60 70 75 85 100

---

640 x 480	64	60
800 x 600	64	60 70 75 85 100
848 x 480	64	60 70 75 85 100
960 x 600	64	60 70 75 85 100
1024 x 768	64	60 70 75 85 100
1152 x 864	64	60 70 75 85 100
1280 x 768	64	60
1280 x 800	64	60
1280 x 960	64	60 70 75 85 100
1280 x 1024	64	60 70 75 85 100
1360 x 768	64	60
1600 x 1200	64	60 70 75 85 100
1680 x 1050	64	60
1920 x 1200	64	60
1920 x 1440	64	60 70 75 85 100

2048 x 1536 64 60 70 75 85 100

## GeForce 8300/8200/8100 and nForce 7xx

---

This sections lists the supported display resolutions, color depths, and refresh rates for the following products:

- NVIDIA GeForce 8300
- NVIDIA GeForce 8200
- NVIDIA GeForce 8100 / nForce 720a
- NVIDIA nForce 780a SLI
- NVIDIA nForce 750a SLI
- NVIDIA nForce 730a

### Standard Modes

640 x 480	8		60 70 72 75 85 100 120 140 144 150 170 200 240
800 x 600	8		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	8		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 864	8		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 768	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 800	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 960	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 1024	8		60 70 72 75 85 100 120 140 144 150 170
1360 x 768	8		60 70 72 75 85 100 120 140 144 150 170
1440 x 900	8		60
1600 x 1200	8		60 70 72 75 85 100 120
1680 x 1050	8		60
1920 x 1080	8	30i	60 70 72 75 85 100
1920 x 1200	8		60 70 72 75 85 100
1920 x 1440	8		60 70 72 75 85
2048 x 1536	8		60 70 72 75 85
-----			
640 x 480	16		60 70 72 75 85 100 120 140 144 150 170 200 240
800 x 600	16		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	16		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	16		60 70 72 75 85 100 120 140 144 150 170 200 240

1024 x 768	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 864	16		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 768	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 800	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 960	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 1024	16		60 70 72 75 85 100 120 140 144 150 170
1360 x 768	16		60 70 72 75 85 100 120 140 144 150 170
1440 x 900	16		60
1600 x 1200	16		60 70 72 75 85 100 120
1680 x 1050	16		60
1920 x 1080	16	30i	60 70 72 75 85 100
1920 x 1200	16		60 70 72 75 85 100
1920 x 1440	16		60 70 72 75 85
2048 x 1536	16		60 70 72 75 85

---

640 x 480	32		60 70 72 75 85 100 120 140 144 150 170 200 240
800 x 600	32		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	32		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	32		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	32		60 70 72 75 85 100 120 140 144 150 170 200
1152 x 864	32		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	32		60 70 72 75 85 100 120 140 144 150
1280 x 768	32		60 70 72 75 85 100 120 140 144 150
1280 x 800	32		60 70 72 75 85 100 120 140 144 150
1280 x 960	32		60 70 72 75 85 100 120 140 144 150
1280 x 1024	32		60 70 72 75 85 100 120 140 144 150
1360 x 768	32		60 70 72 75 85 100 120 140 144 150
1440 x 900	32		60
1600 x 1200	32		60 70 72 75 85 100
1680 x 1050	32		60
1920 x 1080	32	30i	60 70 72 75 85
1920 x 1200	32		60 70 72 75 85
1920 x 1440	32		60 70 72 75 85
2048 x 1536	32		60 70 72 75 85

---

640 x 480	64		60 70 72 75 85 100 120 140 144 150 170 200 240
800 x 600	64		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	64		60 70 72 75 85 100 120 140 144 150 170 200 240

960 x 600	64	60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	64	70
1152 x 864	64	60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	64	70
1280 x 768	64	60 70 72 75 85 100
1280 x 800	64	60 70 72 75 85 100
1280 x 960	64	60 70 72 75 85 100
1280 x 1024	64	60 70 72 75 85 100
1360 x 768	64	60 70 72 75 85 100
1440 x 900	64	60
1600 x 1200	64	60 70 72 75 85 100
1680 x 1050	64	60
1920 x 1080	64	30i
1920 x 1200	64	70
1920 x 1440	64	60 70 72 75 85
2048 x 1536	64	60 70 72 75 85

## GeForce 9400/9300/9200 Series

---

This sections lists the supported display resolutions, color depths, and refresh rates for the following products:

- GeForce 9400
- GeForce 9300
- GeForce 9200
- nForce 760i SLI

### Standard Modes

640 x 480	8	60 70 72 75 85 100 120 140 144 150 170 200 240
720 x 480	8	60
720 x 576	8	50 60
800 x 600	8	60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	8	60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	8	60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	8	60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 864	8	60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	8	60 70 72 75 85 100 120 140 144 150 170
1280 x 768	8	60 70 72 75 85 100 120 140 144 150 170 200
1280 x 1024	8	70
1440 x 900	8	60
1600 x 1200	8	70
1680 x 1050	8	60
1920 x 1440	8	60 70 72 75 85 100
2048 x 1536	8	60 70 72 75 85 100

---

640 x 480	16	60 70 72 75 85 100 120 140 144 150 170 200 240
720 x 480	16	60
720 x 576	16	50 60
800 x 600	16	60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	16	60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	16	60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	16	60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 864	16	60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	16	60 70 72 75 85 100 120 140 144 150 170
1280 x 768	16	60 70 72 75 85 100 120 140 144 150 170 200



## GeForce 7 Series

---

This sections lists the supported display resolutions, color depths, and refresh rates for the following products:

- GeForce 7950 GX2 / GT
- GeForce 7900 GTX / GT / GTO / GS
- GeForce 7800 SLI
- GeForce 7800 GTX / GT / GS
- GeForce 7650 GS
- GeForce 7600 GT / GS / LE
- GeForce 7500 LE
- GeForce 7350 LE
- GeForce 7300 SE / LE / GT / GS
- GeForce 7200 GS

### Standard Modes

640 x 480	8	60 70 72 75 85 100 120 140 144 150 170 200 240
720 x 480	8	60
720 x 576	8	50 60
800 x 600	8	60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	8	60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	8	60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	8	60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 864	8	60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	8	60 70 72 75 85 100 120 140 144 150 170
1280 x 768	8	60 70 72 75 85 100 120 140 144 150 170
1280 x 1024	8	70
1440 x 900	8	60
1600 x 1200	8	70
1680 x 1050	8	60
1920 x 1200	8	60 70 72 75 85 100
1920 x 1440	8	60 70 72 75 85 100
2048 x 1536	8	60 70 72 75 85 100

---

640 x 480	16	60 70 72 75 85 100 120 140 144 150 170 200 240
-----------	----	--

```

720 x 480 16      60
720 x 576 16    50 60
800 x 600 16      60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480 16      60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600 16      60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768 16      60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 864 16      60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720 16      60 70 72 75 85 100 120 140 144 150 170
1280 x 768 16      60 70 72 75 85 100 120 140 144 150 170
1280 x 1024 16      70
1440 x 900 16      60
1600 x 1200 16      70
1680 x 1050 16      60
1920 x 1200 16      60 70 72 75 85 100
1920 x 1440 16      60 70 72 75 85 100
2048 x 1536 16      60 70 72 75 85 100

```

```

-----
640 x 480 32      60 70 72 75 85 100 120 140 144 150 170 200 240
720 x 480 32      60
720 x 576 32    50 60
800 x 600 32      60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480 32      60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600 32      60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768 32      70
1152 x 864 32      60 70 72 75 85 100 120 140 144 150 170 200
1280 x 768 32      60 70 72 75 85 100 120 140 144 150 170
1280 x 1024 32      70
1440 x 900 32      60
1600 x 1200 32      70
1680 x 1050 32      60
1920 x 1200 32      60 70 72 75 85 100
1920 x 1440 32      60 70 72 75 85 100
2048 x 1536 32      60 70 72 75 85 100

```

## GeForce 6 Series and nForce 6xx

---

This sections lists the supported display resolutions, color depths, and refresh rates for the following products:

- GeForce 7050 PV / NVIDIA nForce 630a
- GeForce 7050 PV / NVIDIA nForce 630a
- GeForce 7025 / NVIDIA nForce 630a
- GeForce 7150 / NVIDIA nForce 630i
- GeForce 7100 / NVIDIA nForce 630i
- GeForce 7050 / NVIDIA nForce 630i
- GeForce 7050 / NVIDIA nForce 610i
- GeForce 7100 / NVIDIA nForce 620i
- GeForce 6800 XT / XE / Ultra / LE / GT/ GS
- GeForce 6700 XL
- GeForce 6610 XL
- GeForce 6600 VE / LE / GT
- GeForce 6500
- GeForce 6250
- GeForce 6200SE TurboCache™
- GeForce 6200 TurboCache™
- GeForce 6200 LE
- GeForce 6200 A-LE
- GeForce 6200
- GeForce 6150SE nForce 430
- GeForce 6150 LE
- GeForce 6150
- GeForce 6100 nForce 420
- GeForce 6100 nForce 405
- GeForce 6100 nForce 400
- GeForce 6100

## Standard Modes

640 x 480	8		60 70 72 75 85 100 120 140 144 150 170 200 240
720 x 480	8		60
720 x 576	8	50	60
800 x 600	8		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	8		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 864	8		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 768	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1280 x 1024	8		70
1440 x 900	8		60
1600 x 1200	8		70
1680 x 1050	8		60
1920 x 1440	8		60 70 72 75 85 100
2048 x 1536	8		60 70 72 75 85 100

---

640 x 480	16		60 70 72 75 85 100 120 140 144 150 170 200 240
720 x 480	16		60
720 x 576	16	50	60
800 x 600	16		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	16		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 864	16		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 768	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1280 x 1024	16		70
1440 x 900	16		60
1600 x 1200	16		70
1680 x 1050	16		60
1920 x 1440	16		60 70 72 75 85 100
2048 x 1536	16		60 70 72 75 85 100

---

640 x 480	32		60 70 72 75 85 100 120 140 144 150 170 200 240
720 x 480	32		60
720 x 576	32	50	60

800 x 600	32	60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	32	60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	32	60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	32	70
1152 x 864	32	60 70 72 75 85 100 120 140 144 150 170 200
1280 x 768	32	60 70 72 75 85 100 120 140 144 150 170
1280 x 1024	32	70
1440 x 900	32	60
1600 x 1200	32	70
1680 x 1050	32	60
1920 x 1440	32	60 70 72 75 85 100
2048 x 1536	32	60 70 72 75 85 100

## Modes Supported by TV Encoders

---

Table A.3 and Table A.4 list the NTSC, PAL, and HDTV TV-Out modes supported by the NVIDIA driver.

**Table A.3** Mode Support for S-Video and Composite Out

Resolution	Bit depth	Comments
320x200	8, 16, 32	DirectDraw mode; not selectable as a Windows desktop
320x240	8, 16, 32	DirectDraw mode; not selectable as a Windows desktop
640x400	8, 16, 32	DirectDraw mode; not selectable as a Windows desktop
640x480	8, 16, 32	
720x480	8, 16, 32	Overscans (for video)
720x576	8, 16, 32	Overscans (for video)
800x600	8, 16, 32	
1024x768	8, 16, 32	Conexant 25871 only

**Table A.4** Mode Support for Component YPrPb Out and DVI Out

Resolution	Comments
480i (SDTV)	Supported on graphics boards with Conexant 875 or Philips 7108 TV encoders and compatible connectors, and compatible GeForce 6 Series and GeForce 7 Series GPUs.
480p (EDTV)	
720p (HDTV)	
1080i (HDTV)	
576i (PAL)	
576p (PAL)	

The driver supports manual overscan correction for component and DVI outputs. See the *ForceWare Graphics Driver User's Guide* for instructions on how to use the overscan correction features in the control panel.